



Fusion2 - Fully-Automated Solution

General Overview

- Entirely “self-contained” Monobloc environment that takes you from unpacking to full production with only two connections
- 3-function full Monobloc system: Liquid filling, dropper tip/stopper placement, and screw cap/over cap finish
- Accommodates free-flowing to heavy viscous products as well as a variety of bottle shapes and sizes
- Designed smaller footprint that will fit within limited facility spacing
- Supports multiple metering systems: Piston, Peristaltic and Micro-Dose filling applications
- 100% servo-driven, integrated automation for indexing, filling and closing functions
- Install and start production in days - not weeks



Unique Performance. Undeniable Quality. Unrivaled Support.
Go Further, Do More with Filamatic.

***Fusion2 - Fully-Automated
Monobloc Filling Solution***

866.258.1914
info@filamatic.com
www.filamatic.com



Technical Features

- Remote diagnostics that are convenient and easy-to-access from across-the-globe
- 100% CFR compliant (code of federal regulations)
- The well-designed smaller footprint has been highly touted by multiple industries (using ONLY 4' x 2' of floorspace)
- Data analysis: easy access and convenient batch data reporting with accurate intelligence for every production run
- Filling volumes from 0.5ml to 100ml with +/- 0.5% pinpoint accuracy across different liquid product viscosities
- Tool-less and recipe driven changeovers performed in less than 15 minutes

Pump System	Fill Stations	Volts	CPM	Fill Size
Piston	1 - 2	208/230/460 VAC	Up to 60	.3ml to 120ml
Peristaltic	1 - 2	208/230/460 VAC	Up to 60	1ml - 20ml
Micro-Dose	1 - 2	208/230/460 VAC	Up to 60	.1ml to 5ml

- CPM production will range with different container sizes, fill volumes, and varying product viscosities

Filamatic

4119 Fordleigh Road • Baltimore, MD 21215
866.258.1914 • info@filamatic.com • www.filamatic.com